

Measurement 2020 Australian Laser Championships

During recent Championships many boats were presented for Measurement / Inspection that were not in accord with ILCA class rules. This is a frustrating experience for all concerned and causes delays in the Measurement queues. Often these non-compliances involve significant effort and are difficult to correct away from home.

The placement of Sail Numbers, incorrect cutting of 'Digital 8" characters, Laser 4.7 mast bend, boat signage, and location of Radial mast bottom section inner sleeve, are things that can be checked and corrected before arriving at the Championships.

Consequently, entrants are advised to check and correct if necessary their sail, boat signage and masts in accord with the following attached guides. Should any additional issues arise refer to the ILCA website or your District Measurer.


Need assistance to correct your Sail Numbers ? Then contact or better still forward your sail to a local agent for correction. Victorian Laser Dealers who can assist are:

Paul Vincent
Victorian Laser Agent
Mob 0407 586 208



2020 Australian Laser Championships

1 Rules

- 1.1 The regatta will be governed by the rules as defined in the *Racing Rules of Sailing*.
- 1.2 Australia Sailing Special Regulations Part 2 Off the Beach Boats will apply. 




Australian Sailing
2017-2020 AS SPECIAL REGULATIONS PART 2 EQUIPMENT AUDIT FORM[©]



Special Note Charter Boat Signage (PSA approved)


Signage to be applied using Duct Tape and Permanent Marker (see below example)

SPECIAL REGULATIONS PART 2	OFF THE BEACH BOATS	Including unballasted boats, Centreboard Dinghies, Sailboards, Skiffs, Multihulls, Small Open-Ballasted boats, and Small Trailable boats
----------------------------	---------------------	--


4.01.1	Identification externally on transom or both outboard sides of hull(s) or rear beam, or aft deck for sailboards
4.01.2	Letters, figures legible & indelible, contrasting colour to background
4.01.3	(a) Boat name letters/figures minimum 50mm high x 8mm thick 
	(b) Registered sail number letters/figures minimum 50mm high x 8mm thick 
	(c) Club name letters/figures minimum 20mm high x 4mm thick 
4.01.4	(a) Club name may be abbreviated

Championship Boat Signage Requirements


Refer to Notice of Race and Australian Sailing Special Regulations Part 2 which have been reproduced here in part.



LASER 4.7 SAIL NUMBER SIZING AND POSITIONING




LASER RADIAL SAIL NUMBER SIZING AND POSITIONING




LASER STD MKI SAIL NUMBER SIZING AND POSITIONING

Starting Position All Alphas and Numerics 100 +/- 12 mm from Leech




All Character Spacing

50 mm minimum
60 mm suggested.




Equal Height 300 mm (H)
Thickness 45 mm minimum (T)
Equal Width 200 mm minimum (W)

LASER STD MKII SAIL NUMBER SIZING AND POSITIONING




Laser Battens


STANDARD MK1 RADIAL & 4.7




Battens (TAPERED) STD MK2



Fixing Position RED RHOMBUS




Measurement taken from extreme end of End Caps



Measurement taken from middle of the concave End Cap

LASER 4.7 MAST BOTTOM SECTION MAST BEND MEASUREMENT



LASER RADIAL MAST BOTTOM SECTION INNER SLEEVE MEASUREMENT

